






# NEXTECH


## GRIP – CLAMP PRICE LIST


| Image - Type                                                                        | Model  | Description                                                                                                                                                                                                                                          | Usage                                                                                                                                                                 | Sample Picture                                                                        | WT       | Price     |
|-------------------------------------------------------------------------------------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------|-----------|
|    | AJJ-01 | <b>Apply range:</b> applied in rubber, each kind of line cable, paper, electric appliance component, plastic film push pull force insertion force and destructive experiment.<br><b>Peak load:</b> 500N<br><b>Biggest Opening size:</b> 3.5mm, 2.3mm | This is a universal clamp which can be used in all push and pull testing, fixed the objects on both sides.                                                            |    | 0.11 kg. | 28.00 USD |
|    | AJJ-02 | <b>Peak load:</b> 500N<br><b>Biggest Opening size:</b> 15 mm                                                                                                                                                                                         | Apply range: applied in patch shape and block shape material push pull force insertion force and destructive experiment, such as Bakelite, glass, leather, paper etc. |   | 0.13 kg. | 68.00 USD |
|  | AJJ-03 | <b>Peak load:</b> 500N<br><b>Biggest Opening size:</b> 4 mm                                                                                                                                                                                          | Apply range: applied in adhesive tape, PCB etc. Peeling strength experiment.                                                                                          |  | 0.3 kg.  | 66.00 USD |
|   | AJJ-04 | <b>Peak load:</b> 500N<br><b>Biggest Opening size:</b> 4 mm                                                                                                                                                                                          | Apply range: applied in cotton, paper, woolen, fabric, leather, rubber etc. push pull force insertion force, extend force and destructive experiment.                 |  | 0.23 kg. | 84.00 USD |


| Image - Type                                                                        | Model         | Description                                                              | Usage                                                                                                                                                                                               | Sample Picture                                                                        | WT          | Price        |
|-------------------------------------------------------------------------------------|---------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------|--------------|
|    | <b>AJJ-05</b> | <b>Peak load:</b> 500N<br><b>Diameter:</b><br>φ 12mm<br>φ 16mm<br>φ 22mm | Apply range:<br>applied in sponge,<br>foam, glass, stone<br>pressures, and<br>destructive<br>experiment,<br>etc.                                                                                    |                                                                                       | 0.08<br>kg. | 36.00<br>USD |
|    | <b>AJJ-06</b> | <b>Peak load:</b> 500N<br><b>Biggest Opening size:</b><br>10 mm          | Apply range:<br>applied in<br>rubber each kind<br>of line cable,<br>paper, electric<br>appliance<br>component,<br>plastic film push<br>pull force and<br>destructive<br>experiment.                 |    | 0.17<br>kg. | 48.00<br>USD |
|   | <b>AJJ-07</b> | <b>Peak load:</b> 500N<br><b>Biggest Opening size:</b><br>35 mm          | Apply range:<br>applied in patch<br>shape and block<br>shape material<br>push<br>pull force insertion<br>force and<br>destructive<br>experiment, such<br>as Bakelite, glass,<br>leather, paper etc. |  | 0.4<br>kg.  | 64.00<br>USD |
|  | <b>AJJ-08</b> | <b>Peak load:</b> 500N<br><b>Biggest Opening size:</b><br>3.5 mm         | Apply range:<br>applied in rubber<br>each kind of line<br>cable, bale,<br>bandage, electric<br>appliance<br>component push<br>pull force<br>insertion force<br>and destructive<br>experiment.       |                                                                                       | 0.07<br>kg. | 28.00<br>USD |

| Image - Type                                                                        | Model          | Description                                                              | Usage                                                                                                                                                                                            | Sample Picture                                                                                                                                                              | WT          | Price         |
|-------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------|
|     | <b>AJJ-09</b>  | <b>Peak load:</b> 500N<br><b>Diameter:</b><br>φ 12mm<br>φ 16mm<br>φ 22mm | Apply range:<br>applied in patch<br>shape and block<br>shape material<br>push pull force<br>insertion force and<br>destructive<br>experiment, such<br>as Bakelite, glass,<br>leather, paper etc. |                                                                                                                                                                             | 0.36<br>kg. | 156.00<br>USD |
|    | <b>AJJ-10</b>  | <b>Peak load:</b> 500N<br><b>Biggest Opening size:</b><br>φ 24mm         | Apply range:<br>applied in patch<br>shape and block<br>shape material<br>push pull force<br>insertion force and<br>destructive<br>experiment, such<br>as Bakelite, glass,<br>leather, paper etc. | <br> | 0.02<br>kg. | 16.00<br>USD  |
|  | <b>AJJ-011</b> | <b>Peak load:</b> 500N<br><b>Biggest Opening size:</b><br>2.5 mm         | Apply range:<br>applied in<br>rubber each<br>kind of line<br>cable, paper,<br>electric<br>appliance<br>component,<br>plastic film push<br>pull force and<br>destructive<br>experiment.           |                                                                                                                                                                             | 0.06<br>kg. | 64.00<br>USD  |
|  | <b>AJJ-012</b> | <b>Peak load:</b> 500N<br><b>Biggest Opening size:</b><br>2 mm           | The peeling<br>force of Film<br>sticker or paper.                                                                                                                                                |                                                                                        | 0.03<br>kg. | 100.00<br>USD |


| Image - Type                                                                        | Model            | Description                                                            | Usage                                                                               | Sample Picture                                                                        | WT          | Price         |
|-------------------------------------------------------------------------------------|------------------|------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------|---------------|
|    | <b>AJJ-012-2</b> | <b>Opening size:</b><br>2 mm                                           | The peeling force of Film sticker or paper.                                         |    |             | 120.00<br>USD |
|    | <b>AJJ-013</b>   | <b>Peak load:</b> 500N<br><b>Biggest Opening size:</b><br>φ 20mm       | Mainly used in buttons, toys tensile tests.                                         |    | 0.3<br>kg.  | 128.00<br>USD |
|   | <b>AJJ-014</b>   | <b>Peak load:</b> 500N<br><b>Opening range size:</b><br>φ 6mm - φ 35mm | Mainly used in buttons, toys tensile tests. Fixed different sizes buttons.          |                                                                                       | 0.28<br>kg. | 128.00<br>USD |
|  | <b>AJJ-015</b>   | <b>Peak load:</b> 500N                                                 | Button base clamp used in button tester, Mainly used in buttons ,toys tensile tests |  | 2.0<br>kg.  | 350.00<br>USD |

| Image - Type                                                                       | Model          | Description                                                  | Usage                                                                                                                                                         | Sample Picture | WT       | Price      |
|------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------|------------|
|   | <b>AJJ-016</b> | <b>Peak load:</b> 500N<br><b>Biggest Opening size:</b> 37 mm | Mainly used in buttons, toys tensile tests.                                                                                                                   |                | 0.17 kg. | 84.00 USD  |
|    | <b>AJJ-017</b> | <b>Peak load:</b> 500N                                       | Mainly used in zipper pulling testing.                                                                                                                        |                | 0.27 kg. | 170.00 USD |
|  | <b>AJJ-018</b> | <b>Peak load:</b> 500N                                       | Clamp special for zipper pulling testing                                                                                                                      |                | 0.24 kg. | 166.00 USD |
|  | <b>AJJ-019</b> | <b>Peak load:</b> 500N<br><b>Biggest Opening size:</b> 10 mm | Apply range: applied in all kinds of cable, paper, electric components, plastic film of the material such as tensile force, destructive push pull force test. |                | 0.5 kg.  | 170.00 USD |

| Image - Type                                                                        | Model          | Description                                                        | Usage                                                                                                  | Sample Picture                                                                                                                                                              | WT         | Price         |
|-------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------------|
|     | <b>AJJ-020</b> | <b>Peak load:</b> 500N<br><b>Opening size:</b> 8 mm                | Apply range:<br>Button tester<br>clamp specially<br>for snap                                           |                                                                                          |            | 120.00<br>USD |
|    | <b>AJJ-021</b> | <b>Peak load:</b> 500N<br><b>Opening range size:</b> 1.1mm – 4.6mm | Apply range:<br>Specially for<br>terminal pulling<br>force                                             | <br> | 1.6<br>kg. | 240.00<br>USD |
|  | <b>AJJ-022</b> | <b>Peak load:</b> 500N<br><b>Opening size:</b> 40 mm               | Used as a push<br>clamp on one<br>end of force<br>gauge to test<br>the push force of<br>trolley handle |                                                                                        |            | 28.00<br>USD  |
|  | <b>AJJ-023</b> | <b>Peak load:</b> 1000N                                            | For big pulling<br>force when the<br>force is reach<br>1000N                                           |                                                                                        |            | 100.00<br>USD |

| Image - Type                                                                        | Model          | Description             | Usage                                                                                                                                                                                              | Sample Picture                                                                        | WT         | Price         |
|-------------------------------------------------------------------------------------|----------------|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|------------|---------------|
|     | <b>AJJ-024</b> | <b>Peak load: 1000N</b> | This is a universal clamp which can be used in all push and pull testing, fixed the objects on both sides                                                                                          |                                                                                       |            | 120.00<br>USD |
|     | <b>AJJ-025</b> | <b>Peak load: 1000N</b> | Apply range: applied in rubber, each kind of line cable, paper, electric appliance component, plastic film push pull force insertion force and destructive experiment. The same function as AJJ-06 |                                                                                       |            | 100.00<br>USD |
|  | <b>AJJ-026</b> | <b>Peak load: 1000N</b> | Hook clamp                                                                                                                                                                                         |  |            | 20.00<br>USD  |
|  | <b>AJJ-027</b> | <b>Wire Rod Clamp</b>   | For big pulling force when the force is reach 1000N                                                                                                                                                |                                                                                       | 1.5<br>kg. | 220.00<br>USD |

| Image - Type                                                                        | Model          | Description                                                                                     | Usage                                                                                                                        | Sample Picture                                                                        | WT          | Price         |
|-------------------------------------------------------------------------------------|----------------|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------|---------------|
|     | <b>AJJ-028</b> | Rubber clamp<br><b>Maximum load:</b> 200 N<br>Screw hole: M6<br>Dimension:<br>70 * 36 * 40 (mm) | rubber,<br>adhesive tape,<br>packaging bags,<br>sheets, film,<br>paper, block<br>material, push<br>pull, destructive<br>test |    |             | 190.00<br>USD |
|    | <b>AJJ-029</b> | Metal Clamp<br><b>Maximum load:</b> 500N                                                        | Metal Wire pull<br>testing                                                                                                   |                                                                                       | 0.05<br>kg. | 290.00<br>USD |
|  | <b>AJJ-030</b> | Metal Clamp<br><b>Maximum load:</b><br>1000N-3000N                                              | Metal Wire pull<br>testing                                                                                                   |                                                                                       | 1.66<br>kg. | 660.00<br>USD |
|   | <b>AJJ-101</b> | <b>Peak load:</b> 15000N                                                                        | Bolts and<br>screws,<br>standard parts<br>tensile strength<br>test.                                                          |  | 1.0<br>kg.  | 330.00<br>USD |

| Image - Type                                                                       | Model                             | Description                                                                     | Usage                                                               | Sample Picture                                                                                                                                                                 | WT       | Price      |
|------------------------------------------------------------------------------------|-----------------------------------|---------------------------------------------------------------------------------|---------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
|    | <b>AJJ-102<br/>Big<br/>Type</b>   | <b>Maximum load:</b> 500N<br>Material 45#Steel<br>Color can be black of plating | The push force of a wire, such as thin steel wire and ordinary wire |                                                                                             | 0.46 kg. | 80.00 USD  |
|  | <b>AJJ-102<br/>Small<br/>Type</b> | <b>Maximum load:</b> 500N<br>Material 45#Steel<br>Color can be black of plating | The push force of a wire, such as thin steel wire and ordinary wire |                                                                                            | 0.09 kg. | 46.00 USD  |
|  | <b>AJJ-01-2</b>                   | <b>Peak load:</b> 500N<br><b>Biggest Opening Size</b> 3.5mm                     | Metal Wire pull testing                                             | <br> | 1.66 kg. | 660.00 USD |

| Image - Type                                                                     | Model                          | Description | Usage                                      | Sample Picture                                                                                                                                                             | WT       | Price      |
|----------------------------------------------------------------------------------|--------------------------------|-------------|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
|  | AJJ-15                         |             | Used in O type end terminals pulling force | <br> | 0.57 kg. |            |
|                                                                                  | AJJ-15-5000 Max load 5000N     |             |                                            |                                                                                                                                                                            |          | 80.00 USD  |
|                                                                                  | AJJ-15-50000 Max load 50000N   |             |                                            |                                                                                                                                                                            |          | 100.00 USD |
|                                                                                  | AJJ-15-100000 Max load 10000N  |             |                                            |                                                                                                                                                                            |          | 210.00 USD |
|                                                                                  | AJJ-15-150000 Max load 150000N |             |                                            |                                                                                                                                                                            |          | 240.00 USD |
|                                                                                  | AJJ-15-450000 Max load 450000N |             |                                            |                                                                                                                                                                            |          | 280.00 USD |

Price Ex-Factory and does not include delivery cost.

Delivery time: 2-3 weeks after receiving order

Please contact us at [sales@nextechglobal.co.th](mailto:sales@nextechglobal.co.th) for ordering information.